

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

00420 New Scratch Clear Wax-Mirror Finish-D&B

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: waxing paste.

Uses advises against: not determined.

## 1.3 Details of the supplier of the safety data sheet

Supplier: Nowy Samochód S.A.

Address: ul. Zbyszka Cybulskiego 3, 00-725 Warsaw, Poland

Telephone/Fax: +48 602-444-356 E-mail: info@soft99.pl

Adres e- mail osoby odpowiedzialnej za kartę charakterystyki: biuro@theta-doradztwo.pl

## 1.4 Emergency telephone number

112

#### Section 2: Hazards identification

# 2.1 Classification of the substance or mixture

Asp. Tox. 1 H304, Aquatic Chronic 4 H413

May be fatal if swallowed and enters airways. May cause long lasting harmful effects to aquatic life.

## 2.2 Label elements

Names of substances mentioned on label



#### Names of substances mentioned on label

Contains: hydrocarbons, C11-C12, isoalkanes, <2% aromatics.

## **Hazard statements**

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

## **Precautionary statements**

P102 Keep out of reach of children. P261 Avoid breathing vapours.

P264 Wash hands thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/protective clothing.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 Do NOT induce vomiting.

#### 2.3 Other hazards

Substances contained in the product do not meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

Date of update: 11.12.2019 Version: 3.0/EN p. 1/8



## Section 3: Composition/information on ingredients

## 3.1 Substances

Not applicable.

#### 3.2 Mixtures

hydrocarbons, C11-C12, isoalkanes, <2% aromatics

Concentration range: 40 – 50 %

CAS number: -

EC number: 918-167-1

INDEX number: -

Registration number: 01-2119472146-39-XXXX

Classification: Flam. Liq. 3 H226, Asp. Tox. 1 H304, Aquatic Chronic 4 H413

titanium dioxide

Concentration range: < 1 %

CAS number: 13463-67-7 EC number: 236-675-5

Index number: Registration number: -

Classification: substance is not classified as hazardous

Full text of each relevant H phrase is given in section 16 of SDS.

## Section 4: First aid measures

#### 4.1 Description of first aid measures

<u>Skin contact</u>: take off contaminated clothes, wash contaminated skin thoroughly with water. If there is no sign of irritation it is recommended to use soap. Consult a doctor if disturbing symptoms occur.

<u>Eye contact</u>: immediately contact an ophthalmologist if disturbing symptoms occur. Protect non-irritated eye, remove contact lenses. Rinse contaminated eyes with water for at least 10-15 minutes. Avoid strong stream of water – risk of damage of the cornea.

<u>Ingestion:</u> do not induce vomiting. Call doctor immediately, show SDS or label. In case of spontaneous vomiting do not allow vomit to enter airways. Never give anything by mouth to an unconscious person.

<u>Inhalation:</u> remove the victim to fresh air. Keep warm and calm. Consult a doctor, if disturbing symptoms occur.

## 4.2 Most important symptoms and effects, both acute and delayed

Skin contact: possible redness, dryness, cracking.

Eve contact: possible tearing, redness.

<u>Ingestion:</u> abdominal pains, nausea, vomiting, risk of aspiration of the product to the lungs and aspiration pneumonia.

<u>Inhalation:</u> high concentration of vapours and mists may lead to irritation of mucous membranes of eyes and respiratory tract, tearing, redness of conjunctiva, cough, burning sensation in throat and nose.

## 4.3 Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured. Treat symptomatically.



#### Section 5: Firefighting measures

## 5.1 Extinguishing media

<u>Suitable extinguishing media:</u> water spray, extinguishing powder, alcohol resistant extinguishing foam, carbon dioxide. Adjust extinguishing media to the materials stored in the product vicinity.

Unsuitable extinguishing media: water jet - risk of propagation of flame.

# 5.2 Special hazards arising from the substance or mixture

During combustion harmful gases consisting of carbon oxides, nitrogen oxides and other unidentified thermal decomposition products may be produced. Do not inhale combustion products, it may cause health risk.

## 5.3 Advice for firefighters

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. In case of fire cool endangered containers with water fog from safe distance. Do not let extinguishing water to reach drainage system.

#### Section 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Limit the access for the outsiders into the breakdown area, until the suitable cleaning operations are completed. Ensure that effects of the breakdown are removed only by qualified personnel. In case of large spills, isolate the exposed area. Avoid eyes and skin contamination. Ensure adequate ventilation. Do not inhale product vapours. Wear adequate personal protective equipment. Do not walk through spilled product – risk of slipping.

#### 6.2 Environmental precautions

In case of release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading into the environment. Notify relevant emergency services.

## 6.3 Methods and material for containment and cleaning up

Put damaged containers in a tight protective container. Collect the product mechanically and place it in correctly labelled containers. Treat collected material as waste. Clean residues using water with mild detergent and ventilate contaminated place.

## 6.4 Reference to other sections

Appropriate conduct with waste product – section 13. Personal protection equipment – section 8.

### Section 7: Handling and storage

## 7.1 Precautions for safe handling

Handle in accordance with good occupational hygiene and safety practices. Do not eat, drink or smoke during work. Avoid eyes and skin contamination. Do not inhale product vapours. Ensue adequate ventillation. Wash hands before breaks and after work. Keep unused containers thigtly sealed. Protect product from high temperatures and ignition sources.

## 7.2 Conditions for safe storage, including any incompatibilities

Store only in original, tight containers in a dry, cool and well ventilated place. Store away from food and feed for animals. Opened container should be resealed and stored upright to prevent leaking. Keep away from direct sunlight.

## 7.3 Specific end use(s)

No information about uses other than mentioned in subsection 1.2.



### Section 8: Exposure controls/personal protection

#### 8.1 Control parameters

There are no occupational exposure limit values at working place for the substances present in the mixture at the Europen Union level. Please check any national occupational exposure limit values in your country for substance contained in this product.

Legal Basis: Commission Directive 2006/15/EC, 2000/39/EC, 2009/161/EC, 2017/164/EU.

#### 8.2 Exposure controls

Observe good occupational hygiene and safety practices. Do not eat, drink or smoke when using the product. Avoid eyes and skin contamination. Avoid inhale vapours. Ensure adequate ventilation

## Hand and body protection

Wear protective gloves adequate to the performed task and suitable for the potential hazard. In case of short term contact use protective gloves with effectivness level 2 or higher (permeation time > 30 minutes). In case of long term contact use protective gloves with effectivness level 6 (permeation time > 480 minutes).

When using protective gloves during work with chemical products, it should be noted that the efficacy levels and corresponding breakthrough times do not indicate actual times of protection at a particular workplace, because the protection can be affected by many factors, e.g. temperature, other substances etc. If there are any signs of degradation, damage or change in appearance (colour, flexibility, shape), it is recommended to replace the gloves with a new pair. Please follow the manufacturer's instructions, not only in terms of gloves' usage, but also in terms of their cleaning, maintenance and storage. It is also important to know how to take off the gloves in order to avoid hands contamination.

#### Eye protection

Use tightly fitting protective glasses if there is a risk of eye contamination.

## **Respiratory protection**

Respiratory protection is not required when product is used as intended.

Personal protective equipment must meet requirements of Regulation 2016/425/EU. Employer is obliged to ensure equipment adequate to activities carried out, with quality demands, cleaning and maintenance.

### **Environmental exposure controls**

Avoid release to the environment, do not enter the sewage system. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

### Section 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

physical state: liquid/paste colour: yellow

odour: characteristic for petroleum

odour threshold: not determined pH: not determined melting point/freezing point: not determined

initial boiling point and boiling range: 100 °C

flash point: 60 ° (product is not support of combustion)

evaporation rate: not determined flammability (solid, gas): not applicable upper/lower flammability or explosive limits: 6,0 %/0,6 % vol. not determined vapour pressure: vapour density: not determined density: not determined solubility(ies): insoluble in water partition coefficient: n-octanol/water: not determined

auto-ignition temperature: 417 °C

decomposition temperature: not determined



explosive properties: oxidising properties: dynamic viscosity: not display not display not determined

#### 9.2 Other information

No additional test results.

## Section 10: Stability and reactivity

#### 10.1 Reactivity

Product is poorly reactive. It does not undergo hazardous polymerization. See also subsections 10.3 and 10.5

### 10.2 Chemical stability

The product is stable under normal conditions of handling and storage.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions are not known.

#### 10.4 Conditions to avoid

Avoid direct sunlight, sources of heat and fire.

#### 10.5 Incompatible materials

Strong oxidizers, acids.

## 10.6 Hazardous decomposition products

There are no hazardous decomposition products when product is stored and used as recommended.

#### Section 11: Toxicological information

## 11.1 Information on toxicological effects

Information regarding acute and/or delayed results of the exposure was defined on the basis of the information on product's classification and/or toxicological studies as well as the experience and knowledge of the manufacturer.

# **Acute Toxicity**

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

## Serious eye damage/irritation

Based on available data, the classification criteria are not met.

### Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

# Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

# Reproductive toxicity

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

Date of update: 11.12.2019 Version: 3.0/EN p. 5/8



#### **Aspiration hazard**

May be fatal if swallowed and enters airways. Due to the low viscosity, if swallowed or vomited, product may directly penetrate into lungs and cause serious damage (pneumonia).

## Section 12: Ecological information

## 12.1 Toxicity

May cause long lasting harmful effects to aquatic life.

#### 12.2 Persistence and degradability

No data.

## 12.3 Bioaccumulative potential

Bioaccumulation is not expected.

## 12.4 Mobility in soil

Mobility of components of the mixture depends on the hydrophilic and hydrophobic properties and biotic and abiotic conditions of soil, including its structure, climatic conditions, seasons and soil organisms.

#### 12.5 Results of PBT and vPvB assessment

Substances contained in the product do not meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

#### 12.6 Other adverse effects

Product is not classified as hazardous to the ozone layer. Consider other harmful effects of individual components of the mixture on the environment (eg, endocrine disrupting potential, global warming potential).

## Section 13: Disposal considerations

## 13.1 Waste treatment methods

<u>Disposal methods for the mixture:</u> disposal in accordance with the local legislation. Store residues in original containers. Do not empty into drains. Waste code should be assigned in the place of its formation.

<u>Disposal methods for used packing:</u> empty containers should be reused/recycled/eliminated in accordance with the local legislation. Only containers completely empty can be recycled.

Legal basis: Directive 2008/98/EC as amended, 94/62/EC as amended.

#### Section 14: Transport information

## 14.1 UN Number

Not applicable – product is not classified as dangerous during transport.

## 14.2 UN proper shipping name

Not applicable.

#### 14.3 Transport hazard class(es)

Not applicable.

#### 14.4 Packing group

Not applicable.

## 14.5 Environmental hazards

Not applicable.

## 14.6 Special precautions for user

Not applicable.



#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

#### Section 15: Regulatory information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Regulation (EC) No 1907/2006** of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

**Regulation (EC) No 1272/2008** of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Text with EEA relevance).

**Commission Regulation (EU) 2015/830** of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

**Directive 2008/98/EC** of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives as amended.

**European Parliament and Council Directive 94/62/EC** of 20 December 1994 on packaging and packaging waste as amended.

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

**Commission Directive 2000/39/EC** of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

**Commission Directive 2006/15/EC** of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC.

**Commission Directive 2009/161/EU** of 17 December 2009 establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

**Commission Directive 2017/164/EU** of 31 January 2017 establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU.

#### 15.2 Chemical safety assessment

It is not necessary to carry out a chemical safety assessment for the mixture.

#### Section 16: Other information

### Full text of indicated H phrases mentioned in section 3

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

## Abbreviations and acronyms

Flam. Liq. 3 Flammable liquid category 3 Asp. Tox. 1 Aspiration toxicity category 1

Aquatic Chronic 4 Toxicity for aquatic organisms – chronic toxicity category 4

PBT Persistent, Bioaccumulative and Toxic substance vPvB very Persistent, very Bioaccumulative substance

#### **Trainings**

Before commencing working with the product, the user should learn the Health & Safety regulations, regarding handling chemicals, and in particular, undergo a proper workplace training.

## Key literature references and sources of data

This SDS was prepared on the basis of sheets of the individual components, literature data, online databases (eg. ECHA, TOXNET, COSING) as well as our knowledge and experience, taking into account current legislation.



## Procedures used to classify a mixture

Classification was based on data on hazardous substances calculation method under the guidance of Regulation 1272/2008/EC (CLP) as amended.

# Additional information

Date of update: 11.12.2019 Version: 3.0/EN

Composed by: mgr inż. Justyna Gawenda (on the basis of producer's data)

Safety Data Sheet made by: "THETA" Technical Consulting

# This SDS replaces and cancels all its previous versions.

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. That does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.