



SAFETY DATA SHEET

[In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

09063 Micro Liquid Compound Set D&M

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: cleaning agent for varnish.

Uses advises against: not determined.

1.3 Details of the supplier of the safety data sheet

Supplier: **Nowy Samochód S.A.**

Address: ul. Zbyszka Cybulskiego 3, 00-725 Warsaw, Poland

Telephone/Fax: +48 602-444-356

E-mail: info@soft99.pl

E-mail address for a competent person responsible for sds: biuro@thetaconsulting.pl

1.4 Emergency telephone number

112

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Product is not classified as hazardous for the human life and health and for the environment.

2.2 Label elements

Hazard pictograms and signal words

None.

Names of substances mentioned on label

None.

Hazard statements

None.

Precautionary statements

P102 Keep out of reach of children.

P271 Use only outdoors or in a well-ventilated area.

2.3 Other hazards

Substances contained in the product do not meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation. The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 % by weight.

Section 3: Composition/information on ingredients

3.1 Substances

Not applicable.

3.2 Mixturesaluminium oxide

Concentration range: 5-15 %
CAS number: 1344-28-1
EC number: 215-691-6
Index number: -
Registration number: -
Classification: substance is not classified as hazardous

hydrocarbons, C11-C12, isoalkanes, <2% aromatics

Concentration range: 1-< 10 %
CAS number: -
EC number: 918-167-1
Index number: -
Registration number: 01-2119472146-39-XXXX
Classification: Flam. Liq. 3 H226, Asp. Tox. 1 H304, EUH066

ethylene glycol¹

Concentration range: < 3 %
CAS number: 107-21-1
EC number: 203-473-3
INDEX number: 603-027-00-1
Registration number: -
Classification: Acute Tox. 4 H302

¹ Substances with European Union workplace exposure limit.

Compounds in accordance with Regulation (EC) no 648/2004/EC as amended:

Contains: aliphatic hydrocarbons (< 5 %), preservation agents (TRIS(N-HYDROXYETHYL) HEXAHYDROTRIAZINE).

Full text of each relevant H phrase is given in section 16 of SDS.

Section 4: First aid measures**4.1 Description of first aid measures**

Skin contact: wash contaminated skin thoroughly with water and soap for at least 15 min. Take off contaminated clothes and wash it before reuse. Consult a doctor if disturbing symptoms occur.

Eye contact: remove contact lenses. Rinse contaminated eyes with water for at least 15 minutes. Avoid strong stream of water – risk of damage of the cornea. Contact an ophthalmologist if disturbing symptoms occur.

Ingestion: do not induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person. Consult a doctor, show container or label.

Inhalation: remove the victim to fresh air. Keep warm and calm. Consult a doctor, if disturbing symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact: possible redness, dryness, skin cracking, defatting.

Eye contact: possible redness, tearing.

Ingestion: possible abdominal pains, nausea, vomiting, diarrhoea.

Inhalation: cough, temporary headache in case of exposure to high concentration of vapours.



SAFETY DATA SHEET

4.3 Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured.
Treat symptomatically.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: extinguishing powder, alcohol resistant foam, carbon dioxide. Adapt the extinguishing media to surrounding materials.

Unsuitable extinguishing media: water jet – risk of propagation of flame.

5.2 Special hazards arising from the substance or mixture

During combustion harmful gases consisting of carbon oxides and other unidentified thermal decomposition products may be produced. Do not inhale combustion products, it may cause health risk.

5.3 Advice for firefighters

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. Cool endangered containers with water fog from a safe distance. Do not let extinguishing water to reach drainage system, ground and surface waters.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Limit the access for the outsiders into the breakdown area, until the suitable cleaning operations are completed. Ensure that removing the problem and its results is conducted by a trained personnel only. In case of large spills, isolate the exposed area. Avoid eyes and skin contamination. Ensure adequate ventilation. Avoid inhalation of vapours. Wear personal protective equipment.

6.2 Environmental precautions

In case of release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading into the environment. Notify relevant emergency services. Secure sewers, water installations and entrances to basements and other closed areas.

6.3 Methods and material for containment and cleaning up

Place the damaged packaging in an emergency container. Absorb the leakage with non-combustible liquid-binding material (e.g. sand, earth, vermiculite, universal binding agents, silica, vermiculite etc.) and transfer to appropriate waste containers. Treat collected material as a waste. Rinse off the residues with water and mild detergent. Ventilate the contaminated area.

6.4 Reference to other sections

Appropriate conduct with waste product – section 13. Personal protection equipment – section 8.

Section 7: Handling and storage

7.1 Precautions for safe handling

Handle in accordance with good occupational hygiene and safety practices. Do not eat, drink or smoke during work. Avoid eyes and skin contamination. Ensure adequate ventilation. Wash hands before breaks and after work. Keep the unused containers tightly closed.

7.2 Conditions for safe storage, including any incompatibilities

Store only in original, tightly sealed containers in a cool, dry and well-ventilated area. Store away from food and feed for animals. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store with incompatible materials (see subsection 10.5)

7.3 Specific end use(s)

No information about uses other than mentioned in subsection 1.2.



SAFETY DATA SHEET

Section 8: Exposure controls/personal protection

8.1 Control parameters

Specification	Limit values	
	8 hours	short term
ethylene glycol [CAS 107-21-1]	52 mg/m ³	104 mg/m ³

The table above shows the maximum workplace concentration values at the European Union level. Please check any national occupational exposure limit values in your country.

Legal Basis: Commission Directive 2006/15/EC, 2000/39/EC, 2009/161/EC, 2017/164/EU, 2019/1831/EU.

Recommended control procedures

Procedures Concerning the control over the dangerous components concentrations in the air and control over the air quality in the workplace - if they are available and Justified for the position - in Accordance with the European Standards, with the conditions within the exposure place and a proper test methodology adapted to the working conditions.

8.2 Exposure controls

Appropriate engineering controls

Observe good occupational hygiene and safety practices. The local exhaust ventilation is preferred, because it removes impurities from the place of their formation, preventing them from spreading. Do not eat, drink or smoke when using the product. Wash hands before breaks and after work.

Personal protective equipment

The necessity to use and selection of appropriate personal protective equipment should take into account the type of risk posed by the product, working conditions and the way of handling the product. The personal protective equipment used must meet the requirements of Regulation (EU) 2016/425 and the relevant standards. The employer is obliged to provide protection measures appropriate to the activities performed and meeting all quality requirements, including their maintenance and cleaning. Any contaminated or damaged PPE must be replaced immediately.

Hand protection

Use adequate protective gloves compliant with EN 374 (resistant to organic solvents) in case of direct contact with the product. Select the material for the gloves individually at the workplace. Wear protective clothing.

The material that the gloves are made of must be impenetrable and resistant to the product's effects. The selection of material must be performed with consideration of breakthrough time, penetration speed and degradation. Moreover, the selection of proper gloves depends not only on the material, but also on other quality features and changes depending on the manufacturer. The producer should provide detailed information regarding the exact breakthrough time. This information should be followed

Eye protection

Use tightly protective glasses compliant with EN 166 if there is a risk of eye contamination.

Respiratory protection

Respiratory protection is not required when product is used as intended.

Thermal hazards

Do not occur.

Environmental exposure controls

Avoid environment contamination, do not empty into drains. Possible emissions from the ventilation systems and processing equipment should be controlled in order to determinate their compatibility with environmental protection regulations.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: liquid
Colour: white



SAFETY DATA SHEET

Odour:	characteristic
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	100 °C
Flammability:	non-inflammable
Lower and upper explosion limit:	0,6 % vol./6 % vol. (hydrocarbons, C11-C12, isoalkanes, aromatics)
<2%	
Flash point:	> 63 °C (hydrocarbons, C11-C12, isoalkanes, <2% aromatics)
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH:	9,8±1,0 (25 °C)
Kinematic viscosity:	not determined
Solubility:	insoluble in water
Partition coefficient n-octanol/water (log value):	not determined
Vapour pressure:	not determined
Density and/or relative density:	1,05 (25 °C)
Relative vapour density:	not determined
Particle characteristics:	not applicable

9.2 Other information

No additional test results.

Section 10: Stability and reactivity

10.1 Reactivity

Product is feebly reactive. It does not undergo hazardous polymerization. See also subsections 10.3 and 10.5

10.2 Chemical stability

The product is stable under normal conditions of handling and storage.

10.3 Possibility of hazardous reactions

Hazardous reactions are not known.

10.4 Conditions to avoid

Avoid direct sunlight.

10.5 Incompatible materials

Strong oxidizers.

10.6 Hazardous decomposition products

There are no hazardous decomposition products when product is stored and used as recommended.

Section 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information regarding acute and/or delayed results of the exposure was defined on the basis of the information on product's classification and/or toxicological studies as well as the experience and knowledge of the manufacturer.

Toxicity of components

hydrocarbons, C11-C12, isoalkanes, <2% aromatics (EC 918-167-1)

LD₅₀ (oral, rat) > 5000 mg/kg

LD₅₀ (skin, rat) > 5000 mg/kg



SAFETY DATA SHEET

aluminium oxide [CAS 1344-28-1]

LD₅₀ (oral, rat) > 5000 mg/kg

ethylene glycol [CAS 107-21-1]

LD₅₀ (oral, rat) 5890-13400mg/kg

LD₅₀ (dermal, rabbit) 9530 mg/kg

LC₅₀ (inhalation, rat) 10,9 mg/l

Toxicity of mixture

Acute Toxicity

ATEmix (oral): > 2 000 mg/kg

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Routes of exposure: skin contact, eye contact, inhalation, ingestion. See subsection 4.2 for more information on the effects from each possible route of exposure.

Symptoms related to the physical, chemical and toxicological characteristics

No data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data.

11.2 Information on other hazards

Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 % by weight.

Other information

No data.

Section 12: Ecological information

12.1 Toxicity

Product is not classified as hazardous for environment.



SAFETY DATA SHEET

12.2 Persistence and degradability

Surfactants used in the product meet the requirements of biodegradability in accordance with Regulation EC 648/2004 as amended.

12.3 Bioaccumulative potential

Bioaccumulation is not expected.

12.4 Mobility in soil

Mobility of components of the mixture depends on the hydrophilic and hydrophobic properties and biotic and abiotic conditions of soil, including its structure, climatic conditions, seasons and soil organisms.

12.5 Results of PBT and vPvB assessment

Substances contained in the product do not meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

12.6 Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 % by weight.

12.7 Other adverse effects

Product is not classified as hazardous to the ozone layer. Consider other harmful effects of individual components of the mixture on the environment (eg, global warming potential).

Section 13: Disposal considerations

13.1 Waste treatment methods

Disposal methods for the mixture: disposal in accordance with the local legislation. Store residues in original containers. Do not empty into drains. Waste code should be assigned in place of formation.

Disposal methods for used packing: reuse/recycle/liquidate empty containers in accordance with the local legislation. Only completely empty packing can be recycled.

Legal basis: Directive 2008/98/EC as amended, 94/62/EC as amended.

Section 14: Transport information

14.1 UN number or ID number

Not applicable, product is not classified as dangerous during transportation.

14.2 UN proper shipping name

Not applicable.

14.3 Transport hazard class(es)

Not applicable.

14.4 Packing group

Not applicable.

14.5 Environmental hazards

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.



SAFETY DATA SHEET

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC as amended.

Commission Regulation (EU) No 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 as amended.

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste as amended.

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives as amended.

Regulation (EU) No 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Commission Directive 2006/15/EC of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC.

Commission Directive 2009/161/EU of 17 December 2009 establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

Commission Directive 2017/164/EU of 31 January 2017 establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU.

Commission Directive 2019/1831/EU of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC

15.2 Chemical safety assessment

It is not necessary to carry out a chemical safety assessment for the mixture.

Section 16: Other information

Full text of indicated H phrases mentioned in section 3

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
EUH 066	Repeated exposure may cause skin dryness or cracking.

Abbreviations and acronyms

Asp. Tox. 1	Aspiration toxicity category 1
Acute Tox. 4	Acute Toxicity category 4
Flam. Liq. 3	Flammable liquid category 3
PBT	Persistent, Bioaccumulative and Toxic substance
vPvB	very Persistent, very Bioaccumulative substance

Trainings

Before commencing working with the product, the user should learn the Health & Safety regulations, regarding handling chemicals, and in particular, undergo a proper workplace training.

Key literature references and sources of data

This SDS was prepared on the basis of manufacturer's MSDS, literature data, online databases (e.g. ECHA, TOXNET, COSING) as well as our knowledge and experience, taking into account current legislation.



SAFETY DATA SHEET

Procedures used to classify the mixture in accordance with Reg. EC 1272/2008

Classification was based on data on hazardous substances calculation method under the guidance of Regulation 1272/2008/EC (CLP) as amended.

Additional information

Date of update: 02.04.2021
Version: 3.0/EN
Safety Data Sheet made by: THETA Consulting Sp. z o.o.

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. That does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.