

# Safety Data Sheet

Copyright,2020, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 39-7062-1
 Version number:
 2.00

 Revision date:
 28/04/2020
 Supersedes date:
 21/01/2020

**Transportation version number:** 1.00 (31/01/2019)

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### 1.1. Product identifier

Hybrid Ceramic Wax G1905 [G190526 G190532SP]

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Automotive.

### 1.3. Details of the supplier of the safety data sheet

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF

Telephone: +44 (0)870 241 6696 E Mail: info@meguiars.co.uk Website: www.meguiars.co.uk

#### 1.4. Emergency telephone number

+44 (0)870 241 6696

### **SECTION 2: Hazard identification**

# 2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

#### **CLASSIFICATION:**

Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319 Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

### 2.2. Label elements

CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

WARNING.

**Symbols:** 

GHS07 (Exclamation mark) |

**Pictograms** 



**HAZARD STATEMENTS:** 

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

General:

P102 Keep out of reach of children.

**Response:** 

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international

regulations.

SUPPLEMENTAL INFORMATION:

**Supplemental Hazard Statements:** 

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-

7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an

allergic reaction.

3% of the mixture consists of components of unknown acute oral toxicity.

Contains 3% of components with unknown hazards to the aquatic environment.

Information required per Regulation (EU) No 528/2012 on Biocidal Products:

Contains a biocidal product (preservative): C(M)IT/MIT (3:1).

2.3. Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	REACH Registration No.	% by Wt	Classification
Non-Hazardous Ingredients	Mixture			Substance not classified as hazardous

Polyalkylsiloxane with Functionalized	Trade		1 -	5	Substance not classified as
Silica	Secret				hazardous
Hydrocarbons, C12-C16, isoalkanes,		927-676-8	1 -	5	Asp. Tox. 1, H304; EUH066
cyclics, <2% aromatics					
Alcohols, C12-16, ethoxylated	68551-12-2	500-221-7	< 3		Eye Dam. 1, H318; Aquatic
					Acute 1, H400,M=1; Aquatic
					Chronic 2, H411
Hydrocarbons, C11-C13, isoalkanes,		920-901-0	0.5 -	1.5	Asp. Tox. 1, H304; EUH066
<2% aromatics					
reaction mass of: 5-chloro-2-methyl-4-	55965-84-9	911-418-6	< 0.00	02	EUH071; Acute Tox. 3,
isothiazolin-3-one [EC no. 247-500-					H301; Skin Corr. 1C, H314;
7]and 2-methyl-2H-isothiazol-3-one					Skin Sens. 1A, H317;
[EC no. 220-239-6] (3:1)					Aquatic Acute 1,
					H400,M=100; Aquatic
					Chronic 1, H410,M=100 -
					Nota B
					Acute Tox. 2, H330; Acute
					Tox. 2, H310

Note: Any entry in the EC# column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### Inhalation

No need for first aid is anticipated.

### Skin contact

No need for first aid is anticipated.

#### Eve contact

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

#### If swallowed

No need for first aid is anticipated.

#### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

#### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

### 5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

#### 5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### **6.2.** Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

#### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

#### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Avoid eye contact. Keep out of reach of children. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

### 7.2. Conditions for safe storage including any incompatibilities

Store away from acids. Store away from oxidising agents.

#### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

#### **Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

#### 8.2. Exposure controls

#### 8.2.1. Engineering controls

No engineering controls required.

#### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect vented goggles.

Applicable Norms/Standards

Use eye protection conforming to EN 166

#### Skin/hand protection

No chemical protective gloves are required.

#### Respiratory protection

None required.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid. Light Sky Blue Colour

Odor Fruity Cranberry No data available. Odour threshold

8 - 8.8pН

Boiling point/boiling range 100 °C [Details: Water] **Melting point** No data available. Flammability (solid, gas) Not applicable. Not classified **Explosive properties** 

**Oxidising properties** Not classified

Flash point Flash point > 93 °C (200 °F)

Autoignition temperature No data available. Flammable Limits(LEL) No data available. Flammable Limits(UEL) No data available. Vapour pressure No data available.

Relative density 0.989 [*Ref Std*:WATER=1]

Water solubility No data available. Solubility- non-water No data available. Partition coefficient: n-octanol/water No data available. **Evaporation rate** No data available. Vapour density No data available. **Decomposition temperature** No data available. 700 - 2,000 Viscosity **Density** 0.989 g/cm3

9.2. Other information

**EU Volatile Organic Compounds** No data available.

Percent volatile 93.5 % weight [Test Method: Estimated]

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

#### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

#### 10.4 Conditions to avoid

Not determined

#### 10.5 Incompatible materials

Strong acids.

Strong oxidising agents.

#### 10.6 Hazardous decomposition products

Substance

**Condition** 

None known.

# **SECTION 11: Toxicological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

#### 11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

No known health effects.

#### Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

#### Eve contact

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

#### Ingestion

No known health effects.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### **Acute Toxicity**

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg

Page: 6 of 14

Overall product	Inhalation-		No data available; calculated ATE >50 mg/l
	Vapour(4 hr)		
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Polyalkylsiloxane with Functionalized Silica	Dermal	Rabbit	LD50 > 19,400 mg/kg
Polyalkylsiloxane with Functionalized Silica	Ingestion	Rat	LD50 > 17,000 mg/kg
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Inhalation-		LC50 estimated to be 20 - 50 mg/l
	Vapour		
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Inhalation-	Professio	LC50 estimated to be 20 - 50 mg/l
	Vapour	nal	
		judgeme	
**		nt	
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Dermal	Rabbit	LD50 > 5,000 mg/kg
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Dermal	Rabbit	LD50 > 5,000 mg/kg
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Ingestion	Rat	LD50 > 5,000 mg/kg
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Ingestion	Rat	LD50 > 5,000 mg/kg
Alcohols, C12-16, ethoxylated	Inhalation-	Rat	LC50 > 1.6 mg/l
	Dust/Mist		
A1 1 1 C10 16 d	(4 hours)	,	LD50 2.525 //
Alcohols, C12-16, ethoxylated	Dermal	similar	LD50 2,525 mg/kg
		compoun ds	
Alcohols, C12-16, ethoxylated	Ingestion	similar	LD50 2,525 mg/kg
Alcohols, C12-10, Chloxylated	ingestion	compoun	LD30 2,323 Hig/kg
		ds	
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Inhalation-		LC50 estimated to be 20 - 50 mg/l
	Vapour		- Control of the cont
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Inhalation-	Professio	LC50 estimated to be 20 - 50 mg/l
	Vapour	nal	
		judgeme	
		nt	
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Dermal	Rabbit	LD50 > 5,000 mg/kg
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Dermal	Rabbit	LD50 > 5,000 mg/kg
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Ingestion	Rat	LD50 > 5,000 mg/kg
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Ingestion	Rat	LD50 > 5,000 mg/kg
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.	Dermal	Rabbit	LD50 87 mg/kg
247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]			
(3:1) reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.	Inhalation-	D. 4	1.050 0.22 //
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]	Inhalation- Dust/Mist	Rat	LC50 0.33 mg/l
[24/-500-/jand 2-metnyl-2H-isotniazol-3-one [EC no. 220-239-6]	(4 hours)		
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.	Ingestion	Rat	LD50 40 mg/kg
247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]	ingestion	Nat	LDJ0 40 mg/kg
(3:1)			
(5.1)	l	l	l .

ATE = acute toxicity estimate

# Skin Corrosion/Irritation

Skiii Corrosion/irritation		
Name	Species	Value
Polyalkylsiloxane with Functionalized Silica	Rabbit	No significant irritation
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Rabbit	Minimal irritation
Alcohols, C12-16, ethoxylated	Rat	No significant irritation
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Rabbit	Minimal irritation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and	Rabbit	Corrosive
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		

Serious Eve Damage/Irritation

Name	Species	Value
Polyalkylsiloxane with Functionalized Silica	Rabbit	No significant irritation
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Rabbit	Mild irritant
Alcohols, C12-16, ethoxylated	Rabbit	Corrosive
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Rabbit	Mild irritant
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	Rabbit	Corrosive
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		

\_\_\_\_\_

#### **Skin Sensitisation**

Name	Species	Value
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Guinea	Not classified
	pig	
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Guinea	Not classified
	pig	
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and	Human	Sensitising
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	and	
	animal	

### Photosensitisation

Name	Species	Value
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	Human	Not sensitising
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	and	
	animal	

# **Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Germ Cell Mutagenicity** 

Name	Route	Value
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	In Vitro	Not mutagenic
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	In vivo	Not mutagenic
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	In Vitro	Not mutagenic
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	In vivo	Not mutagenic
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	In vivo	Not mutagenic
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	In Vitro	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not available	Not carcinogenic
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not specified.	Not available	Not carcinogenic
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Dermal	Mouse	Not carcinogenic
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Rat	Not carcinogenic

# **Reproductive Toxicity**

Reproductive and/or Developmental Effects

reproductive and/or Developmental Effects							
Name	Route	Value	Species	Test result	Exposure Duration		
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for female reproduction	Not available	NOAEL NA	1 generation		
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for female reproduction	Rat	NOAEL Not available	1 generation		
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for male reproduction	Not available	NOAEL NA	28 days		
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for male reproduction	Rat	NOAEL Not available	28 days		
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Not specified.	Not classified for development	Not available	NOAEL NA	during gestation		
Hydrocarbons, C12-C16, isoalkanes,	Not	Not classified for development	Rat	NOAEL Not	during		

cyclics, <2% aromatics	specified.			available	gestation
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not specified.	Not classified for female reproduction	Not available	NOAEL NA	1 generation
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not specified.	Not classified for female reproduction	Rat	NOAEL Not available	1 generation
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not specified.	Not classified for male reproduction	Not available	NOAEL NA	28 days
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not specified.	Not classified for male reproduction	Rat	NOAEL Not available	28 days
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not specified.	Not classified for development	Not available	NOAEL NA	during gestation
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Not specified.	Not classified for development	Rat	NOAEL Not available	during gestation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis

#### Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	

#### Specific Target Organ Toxicity - repeated exposure

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Aspiration Hazard** 

Name	Value
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Aspiration hazard
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Aspiration hazard
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Aspiration hazard
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

#### 12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Type	Exposure	Test endpoint	Test result
Hydrocarbons, C12-	927-676-8	Green Algae	Estimated	72 hours	Effect Level 50%	>1,000 mg/l
C16, isoalkanes,						, ,
cyclics, <2% aromatics						
Hydrocarbons, C12-	927-676-8	Crustacea other	Estimated	96 hours	Lethal Level 50%	>10,000 mg/l
C16, isoalkanes,						
cyclics, <2% aromatics						
Hydrocarbons, C12-	927-676-8	Water flea	Experimental	48 hours	Effect Level 50%	>1,000 mg/l
C16, isoalkanes,						
cyclics, <2% aromatics			<u> </u>			
Hydrocarbons, C12-	927-676-8	Green Algae	Estimated	72 hours	Effect Level 50%	>1,000 mg/l
C16, isoalkanes,						
cyclics, <2% aromatics				0.64		
Hydrocarbons, C12-	927-676-8	Rainbow trout	Experimental	96 hours	Lethal Level 50%	>88,444 mg/l
C16, isoalkanes,						
cyclics, <2% aromatics	007 (7( 0	XXX . CI	D.C. C. I	40.1	ECC / I 1 500/	. 1 000 //
Hydrocarbons, C12-	927-676-8	Water flea	Estimated	48 hours	Effect Level 50%	>1,000 mg/l
C16, isoalkanes,						
cyclics, <2% aromatics	007 (7( 0	0 41	D.C. (1	72.1	N. 1 F.CC /	1,000 //
Hydrocarbons, C12-	927-676-8	Green Algae	Estimated	72 hours	No obs Effect	1,000 mg/l
C16, isoalkanes,					Level	
cyclics, <2% aromatics Hydrocarbons, C12-	927-676-8	Rainbow trout	Estimated	96 hours	Lethal Level 50%	>1.000 m = /1
C16, isoalkanes,	927-676-8	Rainbow trout	Estimated	96 nours	Letnai Level 50%	>1,000 mg/l
cyclics, <2% aromatics Hydrocarbons, C12-	927-676-8	Water flea	E	21 days	No obs Effect	1/1
	927-070-8	water nea	Experimental	21 days		1 mg/l
C16, isoalkanes,					Level	
cyclics, <2% aromatics	027 (7( 0	C AI	E C L	72.1	N. I. E.C.	1.000 //
Hydrocarbons, C12-C16, isoalkanes,	927-676-8	Green Algae	Estimated	72 hours	No obs Effect Level	1,000 mg/l
cyclics, <2% aromatics					Level	
Polyalkylsiloxane with	Trade Secret		Data not available			<del> </del>
Functionalized Silica	Trade Secret		or insufficient for			
runctionanzeu Sinca			classification			
Alcohols, C12-16,	68551-12-2	Fathead minnow	Experimental	96 hours	LC50	0.48 mg/l
ethoxylated	00331-12-2	athead milliow	Experimental	70 Hours	LC30	0.48 mg/1
Alcohols, C12-16,	68551-12-2	Green algae	Experimental	72 hours	EC50	0.85 mg/l
ethoxylated	00331 12 2	Green argue	Experimental	72 Hours	Leso	0.03 mg/1
Alcohols, C12-16,	68551-12-2	Diatom	Experimental	72 hours	EC50	1 mg/l
ethoxylated	00331 12 2	Diutom	Experimental	72 Hours	Ecso	g, i
Alcohols, C12-16,	68551-12-2	Water flea	Experimental	48 hours	EC50	0.14 mg/l
ethoxylated	00331 12 2	Water fied	Experimental	10 Hours	Ecso	U.I i ing/i
Alcohols, C12-16,	68551-12-2	Water flea	Experimental	21 days	NOEC	0.083 mg/l
ethoxylated	00331 12 2	Water fied	Experimental	21 days	NOEC	0.003 mg/1
Alcohols, C12-16,	68551-12-2	Green Algae	Experimental	72 hours	NOEC	0.5 mg/l
ethoxylated	00331 12 2	Green Angue	Experimental	72 110013	NOEC	0.5 mg/1
Alcohols, C12-16,	68551-12-2	Diatom	Experimental	72 hours	NOEC	0.32 mg/l
ethoxylated	00331 12 2	Diutom	Емрегипения	72 110415	NOEC	0.32 mg/1
Hydrocarbons, C11-	920-901-0	Water flea	Experimental	48 hours	Effect Level 50%	>1,000 mg/l
C13, isoalkanes, <2%	720 701-0	Trator frea	Laperinientai	10 110013	Linear Bever 5070	1,000 1115/1
aromatics				1		
Hydrocarbons, C11-	920-901-0	Green Algae	Estimated	72 hours	Effect Level 50%	>1,000 mg/l
C13, isoalkanes, <2%						,
aromatics				1		
Hydrocarbons, C11-	920-901-0	Rainbow trout	Experimental	96 hours	Lethal Level 50%	>88,444 mg/l
C13, isoalkanes, <2%						
aromatics						
Hydrocarbons, C11-	920-901-0	Green Algae	Estimated	72 hours	No obs Effect	1,000 mg/l
C13, isoalkanes, <2%		]			Level	'
aromatics				1		
Hydrocarbons, C11-	920-901-0	Rainbow trout	Estimated	96 hours	Lethal Level 50%	>1,000 mg/l
C13, isoalkanes, <2%		1				,
aromatics						
Hydrocarbons, C11-	920-901-0	Water flea	Estimated	48 hours	Effect Level 50%	>1,000 mg/l
C13, isoalkanes, <2%						, 6
aromatics						
		•	•		•	•

	laga and :	la	I		Imaa	1.000
Hydrocarbons, C11-C13, isoalkanes, <2%	920-901-0	Green Algae	Estimated	72 hours	Effect Level 50%	>1,000 mg/l
aromatics			<u></u>	0.01		
Hydrocarbons, C11-C13, isoalkanes, <2%	920-901-0	Crustacea other	Estimated	96 hours	Lethal Level 50%	>10,000 mg/l
aromatics Hydrocarbons, C11-	920-901-0	Water flea	Evmonimet-1	21 days	No obs Effect	1 mg/l
C13, isoalkanes, <2% aromatics	920-901-0	water flea	Experimental	21 days	Level	1 mg/1
Hydrocarbons, C11-	920-901-0	Green Algae	Estimated	72 hours	No obs Effect	1,000 mg/l
C13, isoalkanes, <2% aromatics	20 301 0	Green riigue	Estimated	72 Hours	Level	1,000 mg/
reaction mass of: 5-	55965-84-9	Water flea	Experimental	48 hours	EC50	0.099 mg/l
chloro-2-methyl-4-			*			
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1) reaction mass of: 5-	55965-84-9	Rainbow trout	Experimental	96 hours	LC50	0.19 mg/l
chloro-2-methyl-4-	33703 07-7	Tamoow Hout	Experimental	70 Hours		0.17 1116/1
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1) reaction mass of: 5-	55065 94 0	Croon Al	Europius sut 1	72 hay	EC50	0.027 mg/l
chloro-2-methyl-4-	55965-84-9	Green Algae	Experimental	72 hours	EC50	0.027 mg/l
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)						
reaction mass of: 5- chloro-2-methyl-4-	55965-84-9	Diatom	Experimental	72 hours	EC50	0.0199 mg/l
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)						
reaction mass of: 5-	55965-84-9	Sheepshead	Experimental	96 hours	LC50	0.3 mg/l
chloro-2-methyl-4-		Minnow				
isothiazolin-3-one [EC no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)						
reaction mass of: 5-	55965-84-9	Copepods	Experimental	48 hours	EC50	0.007 mg/l
chloro-2-methyl-4-						
isothiazolin-3-one [EC						
no. 247-500-7]and 2-methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)						
reaction mass of: 5-	55965-84-9	Fathead minnow	Experimental	36 days	No obs Effect	0.02 mg/l
chloro-2-methyl-4-					Level	
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol- 3-one [EC no. 220-239-						
6] (3:1)						
reaction mass of: 5-	55965-84-9	Water flea	Experimental	21 days	NOEC	0.004 mg/l
chloro-2-methyl-4-			F			
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-6] (3:1)						
0] (3.1)	<u> </u>	<u> </u>		1	<u> </u>	

reaction mass of: 5-	55965-84-9	Diatom	Experimental	48 hours	NOEC	0.00049 mg/l
chloro-2-methyl-4-						
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)						
reaction mass of: 5-	55965-84-9	Green Algae	Experimental	72 hours	NOEC	0.004 mg/l
chloro-2-methyl-4-						
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)						

# 12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Estimated Biodegradation	28 days	BOD	31.3 % BOD/ThBOD	OECD 301F - Manometric respirometry
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Experimental Biodegradation	28 days	BOD	22 % BOD/ThBOD	OECD 301F - Manometric respirometry
Polyalkylsiloxane with Functionalized Silica	Trade Secret	Data not availbl- insufficient			N/A	
Alcohols, C12-16, ethoxylated	68551-12-2	Experimental Biodegradation	28 days	BOD	69-86 % BOD/ThBOD	Other methods
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	920-901-0	Estimated Biodegradation	28 days	BOD	31.3 % BOD/ThBOD	OECD 301F - Manometric respirometry
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	920-901-0	Experimental Biodegradation	28 days	BOD	22 % BOD/ThBOD	OECD 301F - Manometric respirometry
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	55965-84-9	Estimated Photolysis		Photolytic half-life (in air)	1.2 days (t 1/2)	Other methods
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	55965-84-9	Experimental Hydrolysis			1/2)	Other methods
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Estimated Biodegradation	29 days	CO2 evolution	62 %CO2 evolution/THC O2 evolution (does not pass 10-day window)	OECD 301B - Modified sturm or CO2

# 12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	927-676-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Polyalkylsiloxane with Functionalized Silica	Trade Secret	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Alcohols, C12-16, ethoxylated	68551-12-2	Experimental BCF- Carp	72 hours	Bioaccumulation factor	310	Other methods
Hydrocarbons, C11-C13,	920-901-0	Data not available	N/A	N/A	N/A	N/A

isoalkanes, <2% aromatics		or insufficient for classification				
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	920-901-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)		Estimated BCF - Bluegill	28 days	Bioaccumulation factor		OECD 305E - Bioaccumulation flow- through fish test

#### 12.4. Mobility in soil

Please contact manufacturer for more details

#### 12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

#### 12.6. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

#### EU waste code (product as sold)

070601\* Aqueous washing liquids and mother liquors

# **SECTION 14: Transportation information**

ADR/IATA/IMDG: Not restricted for transport.

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended.

# **SECTION 16: Other information**

#### List of relevant H statements

EUH071 Corrosive to the respiratory tract.  H301 Toxic if swallowed.  H304 May be fatal if swallowed and enters airways.  H310 Fatal in contact with skin.  H314 Causes severe skin burns and eye damage.  H317 May cause an allergic skin reaction.  H318 Causes serious eye damage.  H319 Causes serious eye irritation.  H330 Fatal if inhaled.  H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.  H412 Harmful to aquatic life with long lasting effects.	EUH066	Repeated exposure may cause skin dryness or cracking.
H304 May be fatal if swallowed and enters airways. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	EUH071	Corrosive to the respiratory tract.
H310 Fatal in contact with skin.  H314 Causes severe skin burns and eye damage.  H317 May cause an allergic skin reaction.  H318 Causes serious eye damage.  H319 Causes serious eye irritation.  H330 Fatal if inhaled.  H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.	H301	Toxic if swallowed.
H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	H304	May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	H310	Fatal in contact with skin.
H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	H314	Causes severe skin burns and eye damage.
H319 Causes serious eye irritation. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	H317	May cause an allergic skin reaction.
H330 Fatal if inhaled.  H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.	H318	Causes serious eye damage.
<ul> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> </ul>	H319	Causes serious eye irritation.
H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	H330	Fatal if inhaled.
H411 Toxic to aquatic life with long lasting effects.	H400	Very toxic to aquatic life.
·	H410	Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects	H411	Toxic to aquatic life with long lasting effects.
11.12 Italian to aquate me with long lasting effects.	H412	Harmful to aquatic life with long lasting effects.

#### **Revision information:**

Label: CLP Percent Unknown information was added.

Section 8: Appropriate Engineering controls information information was modified.

Section 8: Personal Protection - Respiratory Information information was deleted.

Section 8: Respiratory protection - recommended respirators guide information was deleted.

Section 8: Respiratory protection - recommended respirators information information was deleted.

Section 8: Respiratory protection information information was added.

Section 11: Acute Toxicity table information was modified.

Section 12: Component ecotoxicity information information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

Meguiar's, Inc. United Kingdom SDSs are available at www.meguiars.co.uk