

SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1. Product identifier				
Product name POLAR SEAL				
Product number	PSL001, PLS001AU, PSL001N/S, PSL001SW/F, PLS500AU, PSL001CN, VP3PC, PSL001EUR			
Internal identification	652/FR/30513			
UFI	UFI: 5C90-10VJ-F002-H8GD			
1.2. Relevant identified uses of	of the substance or mixture and uses advised against			
Identified uses	Water repellent coating for motor vehicles			
1.3. Details of the supplier of	the safety data sheet			
Supplier	Autoglym Works Road Letchworth Herts SG6 1LU UK +44 (0)1462 677766 +44 (0)1462 677712 sds@autoglym.com			
1.4. Emergency telephone number				
Emergency telephone +44 (0) 1462 489498 (24Hrs)				
SECTION 2: Hazards identific	ation			
2.1. Classification of the subs	tance or mixture			
Classification (EC 1272/2008)	-			
Physical hazards	Flam. Liq. 3 - H226			
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319			
Environmental hazards	Not Classified			
2.2. Label elements				
Hazard pictograms				
Signal word	Warning			
Hazard statements	H226 Flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation.			

Precautionary statements	 P102 Keep out of reach of children. P101 If medical advice is needed, have product container or label at hand. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/ container in accordance with national regulations.
Supplementary precautionary statements	P260 Do not breathe vapours. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P310 Immediately call a POISON CENTER/ doctor. P405 Store locked up.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures		
Propan-2-ol		10-30%
CAS number: 67-63-0	EC number: 200-661-7	REACH registration number: 01- 2119457558-25-XXXX
Classification		
Flam. Liq. 2 - H225		
Eye Irrit. 2 - H319		
STOT SE 3 - H336		
Siloxanes and Silicones, 3-[(2-a di-Me	minoethyl)amino]propyl Me,	5-10%
CAS number: —		
Classification		
Skin Corr. 1A - H314		
Eye Dam. 1 - H318		
Acetic Acid		1-5%
CAS number: 64-19-7	EC number: 200-580-7	REACH registration number: 01- 2119475328-30-XXXX
Classification		
Flam. Liq. 3 - H226		
Skin Corr. 1A - H314		
Eye Dam. 1 - H318		
The full text for all hazard statem	ents is displayed in Section 16.	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

Ingestion	Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention immediately.	
Skin contact	Wash skin thoroughly with soap and water or use an approved skin cleanser.	
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 15 minutes and get medical attention.	
4.2. Most important symptoms	and effects, both acute and delayed	
Inhalation	The product contains organic solvents. Vapours may cause drowsiness and dizziness. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.	
Ingestion	May cause discomfort. Nausea, vomiting. Diarrhoea.	
Skin contact	Irritating to skin.	
Eye contact	Irritating to eyes.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Specific treatments	Treat symptomatically.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	Use alcohol-resistant foam, carbon dioxide or dry powder to extinguish.	
Unsuitable extinguishing media	xtinguishing Do not use water jet as an extinguisher, as this will spread the fire.	
5.2. Special hazards arising from	om the substance or mixture	
Specific hazards	Flammable liquid and vapour. Vapours are heavier than air and may spread near ground and travel a considerable distance to a source of ignition and flash back.	
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO).	
5.3. Advice for firefighters		
Protective actions during firefighting	Do not use water jet as an extinguisher, as this will spread the fire. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental release	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Avoid contact with skin, eyes and clothing. No smoking, sparks, flames or other sources of ignition near spillage. Avoid inhalation of vapours.	
6.2. Environmental precautions		
Environmental precautions	Do not allow to enter drainage system, surface or ground water. Prevent material from reaching sewage system, holes and cellars.	
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Absorb small quantities with paper towels and evaporate in a safe place. Absorb spillage with	

non-combustible, absorbent material. No smoking, sparks, flames or other sources of ignition near spillage.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage			
7.1. Precautions for safe han	dling		
Usage precautions	For personal protection, see Section 8.		
Advice on general occupational hygiene	Do not eat, drink or smoke when using this product. Provide eyewash station. Wash hands thoroughly after handling.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage precautions	Store at room temperature. Store in accordance with local regulations.		
7.3. Specific end use(s)			
SECTION 8: Exposure controls/Personal protection			
8.1. Control parameters			
Occupational exposure limits			
Propan-2-ol			

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³ Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³ WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	Avoid inhalation of vapours.
Eye/face protection	Wear eye protection. EN 166:2001
Hand protection	The breakthrough time for any glove material may be different for different glove manufacturers. Wear protective gloves made of the following material: Nitrile rubber.
Hygiene measures	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.	1.	Information	on basic	physical	and	chemical	properties

Appearance	Liquid.
Odour	Pleasant, agreeable.
рН	pH (concentrated solution): 4.72
Melting point	No information available.
Initial boiling point and range	100°C
Flash point	~ 31.6°C Setaflash closed cup.
Evaporation rate	No information available.
Evaporation factor	No information available.
Upper/lower flammability or explosive limits	No information available.

Other flammability	No information available.	
Vapour pressure	No information available.	
Vapour density	No information available.	
Relative density	~ 0.78	
Bulk density	No information available.	
Solubility(ies)	Completely soluble in water.	
Partition coefficient	No information available.	
Auto-ignition temperature	No information available.	
Decomposition Temperature	No information available.	
Viscosity	No information available.	
Explosive properties	No information available.	
Oxidising properties	Not available.	
9.2. Other information		
SECTION 10: Stability and rea	ctivity	
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.	
10.4. Conditions to avoid		
Conditions to avoid	Conditions to avoid Avoid heat, flames and other sources of ignition.	
10.5. Incompatible materials		
Materials to avoid	Avoid contact with the following materials: Strong acids. Strong oxidising agents.	
10.6. Hazardous decompositio	n products	
Hazardous decomposition products	None at ambient temperatures.	
SECTION 11: Toxicological information		
11.1. Information on toxicologic	cal effects	
Skin corrosion/irritation		
Skin corrosion/irritation	Irritating to skin.	
Serious eye damage/irritation Serious eye damage/irritation	Irritation of eyes is assumed.	
SECTION 12: Ecological inform	nation	
12.1. Toxicity		
	Not determined	

Toxicity

Not determined.

12.2. Persistence and degradability

12.2. Feisistence and degrada	
Phototransformation	Not determined.
Stability (hydrolysis)	Not determined.
Biodegradation	Expected to be readily biodegradable.
Biological oxygen demand	Not determined.
12.3. Bioaccumulative potentia	ll second se
Partition coefficient	No information available.
12.4. Mobility in soil	
12.5. Results of PBT and vPvE	3 assessment
12.6. Other adverse effects	
SECTION 13: Disposal conside	
13.1. Waste treatment method	-
General information	Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
SECTION 14: Transport inform	nation
14.1. UN number	
UN No. (ADR/RID)	1993
UN No. (IMDG)	1993
UN No. (ICAO)	1993
UN No. (ADN)	1993
14.2. UN proper shipping name	<u>e</u>
Proper shipping name (ADR/RID)	FLAMMABLE LIQUID, N.O.S. (Isopropanol)
Proper shipping name (IMDG)	FLAMMABLE LIQUID, N.O.S. (Isopropanol)
Proper shipping name (ICAO)	FLAMMABLE LIQUID, N.O.S. (Isopropanol)
Proper shipping name (ADN)	FLAMMABLE LIQUID, N.O.S. (Isopropanol)
14.3. Transport hazard class(e	<u>s)</u>
ADR/RID class	3
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3
ADN class	3

Transport labels



14.4. Packing group	
ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III
14.5 Environmental bezarde	

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

EmS	F-E, S-E
ADR transport category	3
Emergency Action Code	•3Y
Hazard Identification Number (ADR/RID)	30
Tunnel restriction code	(D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

EU legislation

SECTION 16: Other information

Revision date	07/03/2018
Revision	1
SDS number	22026
Hazard statements in full	 H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Signature

Daniel Higgs

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.