

1.1. Product identifier	
Product name	WHEEL PROTECTOR
Product number	WP300, WP300AU, WP300CA, WP300CN, WP300JAP, WP300NL/F, WP300NORD, WP50CA, VP3PW, VP3SW, VP6PBW, VP9BLK
UFI	UFI: UW40-Q0YW-H00A-3H61
1.2. Relevant identified use	es of the substance or mixture and uses advised against
Identified uses	Dressing for use on motor vehicle wheels
1.3. Details of the supplier of	of the safety data sheet
Supplier	Autoglym
	Works Road
	Letchworth
	Herts
	SG6 1LU
	UK
	+44 (0)1462 677766
	+44 (0)1462 677712
	sds@autoglym.com
1.4. Emergency telephone	number
Emergency telephone	+44 (0) 1462 489498 (24Hrs)
	ification

Classification (EC 1272/2008)	
Physical hazards	Aerosol 1 - H222, H229
Health hazards	Not Classified
Environmental hazards	Not Classified
Human health	Vapours and spray/mists in high concentrations are narcotic.
Environmental	The product is not expected to be hazardous to the environment.
Physicochemical	Containers can burst violently or explode when heated, due to excessive pressure build-up. The product is extremely flammable. Vapours may form explosive mixtures with air.
2.2. Label elements	

## 2.2. Label elements

## Hazard pictograms



Signal word	Danger
Hazard statements	H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated.
Precautionary statements	<ul> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P211 Do not spray on an open flame or other ignition source.</li> <li>P251 Do not pierce or burn, even after use.</li> <li>P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.</li> <li>P102 Keep out of reach of children.</li> <li>P260 Do not breathe fume.</li> <li>P260 Do not breathe vapour/ spray.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> </ul>

#### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

Decamethylcyclopentasiloxane		30-60%
CAS number: 541-02-6	EC number: 208-764-9	REACH registration number: 01-
		2119511367-43-XXXX
Classification		
Not Classified		
Petroleum Gases, Liquified		30-609
CAS number: 68476-85-7	EC number: 270-704-2	REACH registration number: 01-
		2119485911-31-XXXX

Flam. Gas 1 - H220

The full text for all hazard statements is displayed in Section 16.

#### SECTION 4: First aid measures

### 4.1. Description of first aid measures

General information	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. If in doubt, get medical attention promptly.
Ingestion	Rinse mouth thoroughly with water. Remove person to fresh air and keep comfortable for breathing. Get medical attention.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
4.2. Most important symptom	s and effects, both acute and delayed

General information	See Section 11 for additional information on health hazards.
	te medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	Use foam, carbon dioxide or dry powder to extinguish.
5.2. Special hazards arising fr	om the substance or mixture
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.
5.3. Advice for firefighters	
Protective actions during firefighting	Use water to keep fire exposed containers cool and disperse vapours. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.
SECTION 6: Accidental release	se measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Avoid inhalation of vapours and contact with skin and eyes. Ensure suitable respiratory protection is worn during removal of spillages in confined areas.
6.2. Environmental precaution	<u>s</u>
Environmental precautions	Avoid discharge into drains.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers.
Methods for cleaning up 6.4. Reference to other section	spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers.
	spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers.
6.4. Reference to other section	<ul> <li>spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers.</li> <li><b>ns</b></li> <li>For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.</li> </ul>
6.4. Reference to other section Reference to other sections	<ul> <li>spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers.</li> <li><b>ns</b></li> <li>For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.</li> </ul>
6.4. Reference to other section Reference to other sections SECTION 7: Handling and sto	<ul> <li>spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers.</li> <li><b>ns</b></li> <li>For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.</li> </ul>
6.4. Reference to other section Reference to other sections SECTION 7: Handling and sto 7.1. Precautions for safe hand	spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers.  Section additional protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.  For generation additional information on ecological hazards. For waste disposal, see Section 13.  For generation additional information on ecological hazards. For waste disposal, see Section 13.  For generation additional information on ecological hazards. For waste disposal, see Section 13.  For generation additional information on ecological hazards. For waste disposal, see Section 13.  For generation additional information on ecological hazards. For waste disposal, see Section 13.  For generation additional information on ecological hazards. For waste disposal, see Section 13.  For generation additional information on ecological hazards. For waste disposal, see Section 13.  For generation additional information on ecological hazards. For waste disposal, see Section 13.  For generation additional information on ecological hazards. For waste disposal, see Section 13.  For generation additional information on ecological hazards. For waste disposal, see Section 13.  For generation additional information on ecological hazards. For waste disposal, see Section 13.  For generation additional information on ecological hazards. For waste disposal, see Section 13.  For generation additional information on ecological hazards. For generation additional information on ecological hazards. For generation additional information on ecological hazards. For generation additional information additiona
6.4. Reference to other section Reference to other sections SECTION 7: Handling and sto 7.1. Precautions for safe hand Usage precautions Advice on general occupational hygiene	spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. <b>ns</b> For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13. <b>rage ling</b> Keep away from heat, sparks and open flame. Read and follow manufacturer's recommendations. When sprayed on a naked flame or any incandescent material the aerosol vapours can be ignited. Use suitable respiratory protection if ventilation is inadequate.
6.4. Reference to other section Reference to other sections SECTION 7: Handling and sto 7.1. Precautions for safe hand Usage precautions Advice on general occupational hygiene	spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers.  Se Section 1 for personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.  Frage  Iling  Keep away from heat, sparks and open flame. Read and follow manufacturer's recommendations. When sprayed on a naked flame or any incandescent material the aerosol vapours can be ignited. Use suitable respiratory protection if ventilation is inadequate.  Wash promptly with soap and water if skin becomes contaminated.
6.4. Reference to other section Reference to other sections SECTION 7: Handling and stor 7.1. Precautions for safe hand Usage precautions Advice on general occupational hygiene 7.2. Conditions for safe storage	spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. <b>ns</b> For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13. <b>rage ling</b> Keep away from heat, sparks and open flame. Read and follow manufacturer's recommendations. When sprayed on a naked flame or any incandescent material the aerosol vapours can be ignited. Use suitable respiratory protection if ventilation is inadequate. Wash promptly with soap and water if skin becomes contaminated. <b>e, including any incompatibilities</b> Do not store near heat sources or expose to high temperatures. Keep away from heat, sparks
6.4. Reference to other section Reference to other sections SECTION 7: Handling and stor 7.1. Precautions for safe hand Usage precautions Advice on general occupational hygiene 7.2. Conditions for safe storag Storage precautions	spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. <b>ns</b> For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13. <b>rage ling</b> Keep away from heat, sparks and open flame. Read and follow manufacturer's recommendations. When sprayed on a naked flame or any incandescent material the aerosol vapours can be ignited. Use suitable respiratory protection if ventilation is inadequate. Wash promptly with soap and water if skin becomes contaminated. <b>e, including any incompatibilities</b> Do not store near heat sources or expose to high temperatures. Keep away from heat, sparks
6.4. Reference to other section Reference to other sections SECTION 7: Handling and stor 7.1. Precautions for safe hand Usage precautions Advice on general occupational hygiene 7.2. Conditions for safe storag Storage precautions 7.3. Specific end use(s)	spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. <b>ns</b> For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13. <b>rage ling</b> Keep away from heat, sparks and open flame. Read and follow manufacturer's recommendations. When sprayed on a naked flame or any incandescent material the aerosol vapours can be ignited. Use suitable respiratory protection if ventilation is inadequate. Wash promptly with soap and water if skin becomes contaminated. <b>e</b> , including any incompatibilities Do not store near heat sources or expose to high temperatures. Keep away from heat, sparks and open flame. The identified uses for this product are detailed in Section 1.2.

#### Occupational exposure limits

#### Decamethylcyclopentasiloxane

LTEL (8HR TWA): 10ppm

#### Petroleum Gases, Liquified

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1750 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 1250 ppm 2180 mg/m<sup>3</sup> WEL = Workplace Exposure Limit.

#### 8.2. Exposure controls

Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	No specific hand protection recommended.
Other skin and body protection	Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist.
Respiratory protection	No specific recommendations. If ventilation is inadequate, suitable respiratory protection must be worn.

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Appearance	Aerosol.
Colour	Clear.
Odour	Solvent.
Odour threshold	No information available.
рН	No information available.
Melting point	No information available.
Flash point	~ -40°C Closed cup.
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	Lower flammable/explosive limit: 0.7 % Upper flammable/explosive limit: 66.5 %
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	0.797
Partition coefficient	No information available.
Auto-ignition temperature	392°C
Decomposition Temperature	No information available.
Viscosity	No information available.
Oxidising properties	No information available.
9.2. Other information	

Other information	None.	
SECTION 10: Stability and re	activity	
10.1. Reactivity		
Reactivity	No test data specifically related to reactivity available for this product or its ingredients.	
10.2. Chemical stability		
Stability	The product may not be stable under some conditions of storage or use.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	Not known.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid heat, flames and other sources of ignition. Avoid exposing aerosol containers to high temperatures or direct sunlight.	
10.5. Incompatible materials		
Materials to avoid	None known.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	None at ambient temperatures.	
SECTION 11: Toxicological in	formation	
11.1. Information on toxicolog	ical effects	
Inhalation	Vapours in high concentrations are narcotic. Vapours may cause headache, fatigue, dizziness and nausea.	
Skin contact	No significant hazard at normal ambient temperatures.	
Eye contact	Vapour or spray in the eyes may cause irritation and smarting.	
Acute and chronic health hazards	No known chronic or acute health risks.	
Route of exposure	Inhalation Skin and/or eye contact	
SECTION 12: Ecological infor	mation	
12.1. Toxicity		
12.2. Persistence and degrad	ability	
Persistence and degradability	No data available.	
12.3. Bioaccumulative potenti	al	
Partition coefficient	No information available.	
12.4. Mobility in soil		
Mobility	No data available.	
12.5. Results of PBT and vPv	B assessment	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		

Other adverse effects	None known.
SECTION 13: Disposal consid	erations
13.1. Waste treatment method	<u>s</u>
General information	Dispose of waste product or used containers in accordance with local regulations
Disposal methods	Containers should be thoroughly emptied before disposal because of the risk of an explosion. Do not pierce or burn, even after use.
SECTION 14: Transport inform	nation
14.1. UN number	
UN No. (ADR/RID)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950
UN No. (ADN)	1950
14.2. UN proper shipping name	<u>e</u>
Proper shipping name (ADR/RID)	AEROSOLS
Proper shipping name (IMDG)	AEROSOLS
Proper shipping name (ICAO)	AEROSOLS
Proper shipping name (ADN)	AEROSOLS
14.3. Transport hazard class(e	<u>es)</u>
ADR/RID class	2.1
ADR/RID classification code	5F
ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1
Transport labels	
14.4. Packing group	
ADR/RID packing group	None
IMDG packing group	None
ICAO packing group	None

ADN packing group None

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

#### 14.6. Special precautions for user

EmS	F-D, S-U
ADR transport category	2
Tunnel restriction code	(D)

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

### SECTION 15: Regulatory information

15.1. Safety, health and e	nvironmental regulations/legislation specific for the substance or mixture
National regulations	The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).
EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

Revision date	23/04/2015
Revision	1
SDS number	21159
Hazard statements in full	H220 Extremely flammable gas. H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated.
Signature	Daniel Higgs